

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	raid same cache same (past previous histor\$7) near3 activity	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L2	134	cache same (past previous histor\$7) near3 activity	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L3	4	raid and cache same (past previous histor\$7) near3 activity	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L4	24	709/226.ccls. and (adaptive heuristic\$4) same cache	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L5	1	709/226.ccls. and (history historical) same cache with policy	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L6	1	active adj2 client same cache adj2 setting	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L7	2108	active adj2 client	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L8	111	active adj2 client with table	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L9	10	active adj2 client with table and raid same server	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L10	373	cache with setting with table	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L11	397	cache with setting with table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L12	296164	cache with setting with table same active client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L13	4	cache with setting with table same active with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05

L14	197	cache same client same raid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L15	2	cache same client same raid same (template history historical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L16	3	cache same client same raid with policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L17	6	active near2 client with (template heuristic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L18	394	table same active near3 client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L19	2	table same active near3 client same current with (setting configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L20	153	table same active near3 client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L21	1	table same active near3 client same server with raid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05

L22	153	table same active near3 client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L23	4	table same active near3 client same (historical history heuristic) same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L24	1	table same active near3 client same statistic\$4 same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L25	27	active near3 client same statistic\$4 same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L26	26	active near3 client same statistic\$4 same server not L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L27	25	"6163773"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L28	2466	template same (policy configur\$8) same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L29	3	template same (policy configur\$8) same server with raid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05

L30	3604	707/200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L31	41	707/200.ccls. and active near3 client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L32	40	707/200.ccls. and template with configur\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L33	3	L31 and L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L34	1	active adj2 client with table same raid	US-PGPUB; USPAT	OR	ON	2008/08/02 14:05
L35	7624	709/223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L36	7752	709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L37	377	709/223-224.ccls. and active near3 client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L38	45	709/223-224.ccls. and active near3 client same (policy configuration template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05

L39	194	(709/223,224 707/200). ccls. and configur\$7 near3 template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L40	4	(709/223,224 707/200). ccls. and configur\$7 near3 template same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L41	4	(709/223,224,226 707/200).ccls. and configur\$7 near3 template same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L42	3295	(709/226).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L43	3295	709/226.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L44	21	709/226.ccls. and template with policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L45	4	709/226.ccls. and template with policy and cach\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L46	69	709/226.ccls. and cache with policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05

L47	3	709/226.ccls. and cache with policy same optimiz \$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L48	13	load near3 (monitor balancer) same cache near3 policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L49	16	load near3 (monitor balancer) same cache near3 (rule policy setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L50	1	load near3 (monitor balancer) same template near3 (rule policy setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L51	91	active adj3 client same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L52	3	active adj3 client same cache near3 (setting policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L53	207	airline near3 reservation and cache and load near3 balanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L54	69	airline near3 reservation and cache and load near3 balanc\$4 and (histor\$4 heuristic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05

L55	3538	cache and load near3 balanc\$4 and (histor\$4 heuristic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L56	590	cache with (configuration policy setting) and load near3 balanc\$4 and (histor\$4 heuristic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L57	395	cache with (configuration policy setting) and load near3 balanc\$4 and (histor\$4 heuristic\$4) same (configur\$7 policy set setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L58	8	"7146524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L59	2	cache with (configuration policy setting) and load near3 balanc\$4 and (histor\$4 heuristic\$4) same (configur\$7 policy set setting) with template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L60	1	load near2 balanc\$4 same (histor\$6 heuristic \$4) same template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L61	42	load near2 balanc\$4 same (histor\$6 heuristic \$4) same model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L62	72	709/226.ccls. and (histor \$6 heuristic\$4) same model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05

L63	9	709/226.ccls. and (historical \$4) same template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L64	7	709/226.ccls. and (historical \$6) same template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L65	63	709/226.ccls. and (historical \$6) same model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L66	51	709/226.ccls. and policy with profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L67	5	709/226.ccls. and load near \$4 with profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L68	1	709/226.ccls. and policy with profile same history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L69	0	(load near \$4 cache) with policy with profile same history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L70	5	(load near \$4 cache) with policy same profile same history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05



L71	1	(load near3 balanc\$4 cache) with policy same profile same historical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L72	0	(load near3 balanc\$4 cache) with policy same profile same previous adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L73	3	(load near3 balanc\$4 cache) with policy same profile same previous	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05
L74	5	load with balanc\$4 with cache with policy and raid with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 14:05

8/ 2/ 08 2:07:47 PM

H:\ EAST\workspaces\ 10669870\ 10667870.w sp